

NIT Reference Number	JKGB/GAD/2021-3042 Date:-18-01-2022
Issuing Department Name	General Administrative Department , J&K Grameen
	Bank Head office, Narwal-180006
Scope of Work	Development of B/O Muthi by way of Interior
	Furniture and Carpentry Works (Mainly include
	construction of Front Desk, Cash Counters, Manager
	Cabin, Side tables, and other allied works)
BIDs Submission Mode	Offline to: General Manager, J&K Grameen Bank
	Head office, Narwal-180006
Tender Type	Limited between Empanelled Contractors
Category	Category B and above of empanelled Contractors of
	INTERIOR FURNISHING & CARPENTRY
Type of Contract	Works
Bidding Type	Indigenous
Base Currency	INR (₹)
Validity of Rates	06 months
Consortium	Consortium Bids are not allowed.
Contact details of concerned	M: 9797127377
Department	Email: pdg.hoj@jkgb.in
Last date and time for Bid submission	11.02.2022 upto 12 Noon
Opening of Tender	11.02.2022 at 04:00 P.M



### (I) NOTICE INVITING TENDER

Tenders are hereby invited by General Manager, Jammu on behalf of J&K Grameen Bank Head Office Narwal for the project:

Development of J & K Grameen Bank's New Branch Office at Muthi by way of Furniture Works.

The Bidder should be an Empanelled Contractor with the J & K Grameen Bank in the relevant trade and category as prescribed for the work.

- 1. Estimated Cost of Work: Approximately Rs. 4.20 Lacs (inclusive of GST)
- 2.. The site for the work is available for inspection on all working days between 10:00 A.M to 05:00 P.M and should be inspected before quoting for this tender.
- 3. The time allowed for the carrying out of the work will be 20 Calender days from the date of issue of work order/ email to commence the work by J&K Grameen Bank.
- 4. The Bidders should sign the tender document on each Page and the total amount tendered should also be written in the prescribed format.

### 5. Documents Comprising the Bid.

Only the price bid along with the sign & stamped tender document is to be submitted. No other document is to be submitted.

### A) Deadline for Submission of Bids

Only Price Bid to be submitted by the Bidder and should reach the office of the General Manager not later than the date and time indicated i.e 11.02.2022 upto 12 Noon.

### B) Bid Opening & Evaluation

The J&K Grameen Bank through its authorized representative will open the bids at Head Office Narwal on 11.02.2022 at 04:00 P.M. Bidders are allowed to be present at the time of opening bids.

### C) Award of Contract

The Bank (J&K Grameen Bank) will award the Contract to the Bidder whose Bid has been determined:

- (i) To be substantially responsive to the bidding documents and who has offered the lowest evaluated Bid price, provided that such Bidder has been determined to be:-
- a) Eligible in accordance with the provisions, and
- b) Qualified in accordance with the provisions; and



- (ii) To be within the available bid capacity adjusted to account for his bid price which is evaluated the lowest.
- J & K Grameen Bank reserves the right to accept or reject any Bid, and to cancel the bidding process and reject all bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Bank's action.
- 6. The Bidder whose tender is accepted shall execute an Agreement on Rs. 100/- stamp paper reiterating the acceptance of his Execution of work on these item rates and conditions as set forth in the contract.
- 7. J&K Grameen Bank Ltd. reserves the right to reject any or all the tenders without assigning any reason thereof.
- 8. Taxes which are admissible for deduction shall be deducted at source at the rates admissible at the time of payment of the bill of contractors.
- 9. The right of acceptance of a tender will rest with the **General Manager**, **J&K Grameen Bank Narwal**, **Jammu** who does not bind himself to accept the lowest tender and reserves with himself the authority to reject any or all the tenders received, without assigning any reason. Any tenders in whom any of the prescribed conditions are not fulfilled or are incomplete in any respect, are liable to be rejected.
- 10. Canvassing in connection with tender is strictly prohibited and the tender submitted by a Bidder, who resorts to canvassing, is liable to be rejected.
- 11 Special care should be taken to write the rates in figures.
- 12 The bidder has to bid for all works contained item wise in the Financial Bid document. The Bank has reserved right to accept the whole or any part of the tender and the bidder shall be bound to perform the same at the rate quoted.
- 13. The Bidder at the end shall add Goods & Service Tax separately which as per the government notification shall be payable at the time of payment with respect to the prevailing government rates at that time. The individual rates filled in the Tender shall be exclusive of GST but inclusive of all material plus labour, delivery, transportation, handling, wastage, levies and the such and include ALL costs/overheads to be incurred by the Bidder for executing these works as per the drawings, details, specifications, with the care, expertise and post execution responsibilities outlined in this Tender. No additional claim over the rates shall be entertained later.
- 14 The Tender for the work includes the Furniture works as per drawings and directions of the General Administrative Department.
- 15 The Bidder shall inspect the site before submitting the tender.



16 The intending Bidder should not in any way quote more than one rate per item of work. In case the Bidder splits the quantity of any item of work and quotes more than one rate for the same, his tender will be rejected. The Bidders shall quote in figures as well as in words, the rates, & the amount tendered by them. The amount for each item should be worked out and the requisite totals be given.

#### **ELIGIBILITY CRITERIA AND CREDENTIALS**

The Bidder should be an empanelled Contractor of J & K Grameen Bank of category B and higher of Interior Furnishing and Carpentry.

The Bidder should have minimum available Bid capacity/Financial Capability as required for the said work.

### (II) INSTRUCTIONS FOR BIDDERS

- 1. Before submitting financial bid, the Bidders, in their interest are advised to inspect and examine the site & its surroundings and satisfy themselves in respect of the site conditions as the Bank shall bear no responsibility for lack of acquaintance of the site and other conditions or any information relating thereto, on their part. The consequences of the lack of knowledge, as aforesaid, on the part of the Bidders shall be at their risk and cost.
- 2. Before tendering, the Bidders shall carefully examine the tender documents, general conditions of contract, special conditions of contract, specifications, drawings & other matters referred to therein, the schedules and Bill of quantities and if there should be or appear to be any ambiguity in or discrepancy between any of these documents or between figured and measured dimensions and other aspects upon the Drawings, he should immediately refer the matter in writing to the General Administrative Department at HO Narwal for clarification.
- 3. Selection of the items according to specifications and approved makes will be as per the conditions of the contract and as per the drawing attached. All the items before installing should be approved from General Administrative Department.
- 4. The Bank will not be responsible and will not pay for expenses which may be incurred or losses to person or property suffered by the Bidder in connection with visits to an examination of the site and in the preparation of his tender for submission.
- 5. The Bidder (whether or not he submits a tender) shall treat the details of the documents as secret and confidential.
- 6. The Bank reserves the right to adjust arithmetical or other errors in any tender in the way, which it considers suitable. Any adjustments so made by the Bank shall be stated to the Bidder if the Bank shall make an offer to accept the tender.



- 7. The Bank does not bind itself to accept the lowest or any tender and has the right to refuse or accept any tender without assigning any reason (s) thereof. The Bank shall also have right either to invite more Bidders for submitting tenders or re-issue the Tenders afresh at their own discretion for which the original Bidders shall have no right of objecting any action taken in this behalf by Bank nor the Bank shall be bound to provide any explanation in this behalf.
- 8. All documents of the tender are to be read in conjunction with each other and Bidder shall take this aspect into consideration while quoting the rates.
- 9. It will be the responsibility of the successful Bidder to keep liaison with the Bank till finalization of Letter of Acceptance or within validity period. No excuse whatsoever will be entertained for not having received the allotment letter/Letter of Acceptance through post or otherwise.

### (III) APPENDIX TO FORM OF TENDER

S.No	Particulars	Description
1	Earnest Money / Retention Money	No EMD for the Work. However, 10% of the bill amount shall be kept as retention for a period of 01 year.
2	Period of commencement	Date of issue of Work Order
3	Time of Completion	20 calendar days
4	Penalty for delay	Rs.200/- per day up to 20 more calendar days. In case, the successful contractor fails to start work/ deny to accept the work order or fails to complete the allotted work within stipulated time, suitable action (as decided by the Bank) shall be taken against the firm (including disempanelment/blacklisting).
5	Defects Liability / Maintenance period	One Year from the date of issue of completion certificate as issued by the Bank
6	Quantities	Quantities as per Financial Bid are liable to change as per work done at site.
7	Payments	Payments should be released only after completion of the work, and verification by GAD.



### FORM OF AGREEMENT

(On Stamp Paper 100/=)

ARTICLE OF AGREEMENT made at Jamm	nu on day	of 2021 bet	ween J.K. Gra	ameen
Bank, having its Head office at Narwal	(J&K), through t	the General	Manager herei	nafter
called "Bank" (which expression shall	include its succe	essors and a	ssigns whereve	er the
contract meaning shall so require or incli	ude its successors	s & assigns w	herever the co	ntract
meaning shall so require or	permit of	the one	part and	M/s.
			_) hereinafter	called
the "Contractor" of the other part.				

WHEREAS the Bank is desirous of having provided and getting executed, completed and maintain certain works for Development of J & K Grameen Bank's New Branch Office at Muthi, by way of Furniture Works, enumerated or referred to the Documents forming part of the "TENDER" and acceptance, copies of all of which hereto annexed are designed to form part of this contract and are included in term "CONTRACT" wherever herein used.

AND WHEREAS the Bank accepted the tender of the contractor for the provisions of execution, completion & maintenance of work under defect liability period of the above said work.

AND WHEREAS the individual rates filled in by the CONTRACTOR are exclusive of GST but inclusive of all material plus labour, delivery, transportation, handling, wastage, levies and the such and include ALL costs/overheads to be incurred by the CONTRACTOR for executing these works as per the drawings, details, specifications, of the Engineer with the care, expertise and post execution responsibilities outlined in this Tender. THE CONTRACTOR confirms that no additional claim over the rates shall be entertained later by THE BANK.

AND W	/HEREAS the c	ontractor has agre	eed with	the Bank to	execute comp	lete and ma	intain
during	the defect	liability period su	ubject to	the condit	tions and insti	ructions set	forth
herein	(hereinafter	referred to as '	the said	l conditions	") the works,	shown upo	n the
docum	ents forming	part of the contra	ct as sta	ted hereina	fter, on the ite	em rate basis	& as
set	forth,	amounting	to	the	contract	sum	of
Rs				(IN W	ORDS) (herein	after referr	ed to
as "the	e said contrac	t amount /Price/S	ium").				

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. The terms and conditions laid down in the documents stated herein in the Clause shall be read and construed as forming part of this Agreement and the contractor shall abide by, terms and conditions, specifications and rates specified therein and perform agreement in accordance with such conditions".
- 2. The said tender document shall be deemed to form and be ready and construed as part of this agreement.
- 3. In consideration of the payment to be made by the Bank to the contractor for the work to be executed by him, the contractor does hereby agree with the Bank to provide, execute & complete the said work on or before the date mentioned in the time schedule of completion of work attached to the tender documents strictly as per the contract agreement and shall maintain the same at his own cost during the defects liability period, thereafter perform all such aspects and things in the contract mentioned or described or which are to be implied thereafter or may be reasonable necessary for the completion of



the said works and at the time and the manner subject to the terms and conditions or stipulations mentioned in the contract.

- 4, In consideration of the due provisions, execution and completion of the said works the Bank does hereby agree with the contractor that the Bank will pay to the contractor the respective amount for the work actually done by him and such other sums as may become payable to the contractor under the contract. Such payment to be made at any such time & in such manner as provided for in the agreement.

a in such manner as provided for in the agreement	
5 All disputes arising out of or any way connected	
have arisen in J & K and only the courts at Jamm $\mathfrak l$	I shall have jurisdiction to determine the
same.	adv by/to us and fully understood by us
6. The several parts of this contract have been real.	
<ol><li>This Agreement shall come into effect on agreement shall remain in force for a period of</li></ol>	( the effective date ). The
agreement shall remain in force for a period of	( the time frame for
completion of scope of work under the agreement	
8. Bank shall be entitled to terminate this agreem	
and conditions of this agreement and related te	nder documents after serving a note of
days on the contractor.	
9. That upon expiration or termination of this ag	
contractor shall; i) Immediately refrain from any	
any relationship between it and the bank . ii)	
possession of all the documents, material or any c	other property belonging to the bank that
may be in its possession.	
10. The bank reserve the right to terminate this	agreement without assigning any reason
thereof.	as to indomnify the bond and lease it
11. The contractor herby agrees and undertak	
indemnified against any loss or damage suffered	i by the bank on account of any act of
omission on part of the contractor.	a intended to survive the term of this
12. The provision of this agreement, which are	
agreement by their very nature, shall survive	
Notwithstanding, arbitration and applicable la	aw and jurisdiction shall survive the
termination/expiration of this agreement.	ank in case of broach of any of the torms
13. The Security deposit will be forfeited by the b	ank in case of breach of any of the terms
and conditions of this agreement	
14. IN WITNESS WHEREOF, the parties have caus	and their respective common scale to be
here unto affixed (or have here unto set their res	
year first above written:	pective hands and seats) the day and the
year first above written.	
NAME	NAME
ON BEHALF OF THE BANK	ON BEHALF OF THE CONTRACTOR
ON DELINE OF THE DITTE	STOPPINE OF THE CONTINUE ON

1. SEAL SEAL

2. ADDRESS ADDRESS

In Presence of:



S. No	Description of Item	Unit	Tentative Quantity
1.	Front Line Counters/ Cash Counter	RFT	16
	Providing and fixing in position counters as per layout plan		
	in single/double level 2'-6" & 4'-0" high & 2'6" deep. Counter		
	shall be made of 190 mm thick (ISI marked) phenol bonded		
	commercial board with 1mm thick laminate		
	(century/formica/green/stylam) on visible surface in		
	combination of shades as approved by bank/architect. Front		
	apron will be in single/double level, finished with laminate		
	with appropriate grooves with provision of cable		
	management for computer cables at appropriate place, with		
	liping 3/4" X 1/4" on inner side and all edges including bottom		
	touching floor and half round moulding 3/4" X 3/4" on front		
	side (public side). The counter shall have key board tray		
	having size approx. 22"X15" or as directed made of 19mm		
	thick commercial board with 1-1/2" X 3/4" wooden moulding		
	on front and back sides with champhered edges and 3/4" X		
	1/4" liping on remaining two sides and 1mm thick laminate		
	on horizontal surface with drawer channel of 15' length. A		
	full depth CPU shelf 14" wide shall be provided at left hand		
	side of counter underneath the working top, at 4" above the		
	floor level and 3" away (horizontally) from vertical end		
	(officer's side) which will be made of 19mm thick		
	commercial board laminated with 1mm thick laminate on top		
	& ¾" X ¼" wood liping on two visible sides. A full length foot		
	rest made of hard wood 3"x1-1/2" section shall be provided		
	at 4" above floor level. Drawer unit of drawers (outer size)		
	and of 6" clear depth shall be provided on right hand side of		
	the counter, of which three sides will be made of 12mm		
	commercial plywood and front side of 19mm commercial		
	board with 1mm thick laminate. The bottom of drawer shall		
	be made of 6mm thick commercial plywood. The drawer will		



	be provided with handle/knob of good quality to be got		
	approved before fixing with drawer channel of 18" length.		
	The drawers will be divided into six compartments with		
	12mm thick both side pre-laminated board partitions for		
	keeping different currencies closing lock. One cupboard		
	with shutter, handle/knob/auto closing lock and magnetic		
	catcher can be considered in place of two drawers, if		
	required beneath the top drawer, non laminated surfaces		
	i.e. inside leg space of counter/nuwood		
	lipping/moulding/footrest etc. shall enamel painted.		
2.	12mm Glass in front and side of Counters	Sq.ft.	45
2.	12mm Glass in front and side of Counters  Providing and fixing 12mm thick plain glass with acid	Sq.ft.	45
2.		Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured fixed to steel holders/38mm thick board having mica on	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured fixed to steel holders/38mm thick board having mica on both sides at appropriate distance sufficient in number so	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured fixed to steel holders/38mm thick board having mica on both sides at appropriate distance sufficient in number so as to hold glass complete in all respects. All the visible	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured fixed to steel holders/38mm thick board having mica on both sides at appropriate distance sufficient in number so as to hold glass complete in all respects. All the visible edges of glass shall be grinded & polished bevelled. The	Sq.ft.	45
2.	Providing and fixing 12mm thick plain glass with acid wash/etching of semi circular or any other pattern/textured fixed to steel holders/38mm thick board having mica on both sides at appropriate distance sufficient in number so as to hold glass complete in all respects. All the visible edges of glass shall be grinded & polished bevelled. The rates shall be inclusive of cost of all fitting, beadings,	Sq.ft.	45



3.	Wooden Partitions/Panelling	Sq.ft.	500
	Providing and fixing wooden partitions 5' & 7' upto ceiling		
	level circle of high made of 3" X 1 $\frac{1}{2}$ " teak, deo, hard wood		
	frame @ 2'0" c/c vertically & horizontally partitions of side of		
	counters, the size of wood frame should be 3" X 1 $\frac{1}{2}$ ". The		
	wood frame should be fixed rigidly at floor level. The frame		
	work to be cladded with 8mm thick (ISI Marked) phenol		
	bounded commercial ply fitted with both side with 1mm thick		
	laminate on both sides as per architect direction and		
	approved shade and colour and both side laminated board		
	12mm thick & glass 5mm thick as per architect direction as		
	approved shade and colour. All exposed fitted wood		
	mouldings (2 1/2" x 1 1/2") and beadings shall be stained to		
	approve colour and finish with melamine polish or enamel		
	painted.		
4.	Manager Table	Per No.	2
	Supplying wooden table of size 5'0"x2'6"x2'6" and side table		
	3 x 1 $\frac{1}{2}$ x 2 $\frac{1}{2}$ made up of 19mm thick (ISI market phenol		
	bonded) boiling water proof commercial board with 1mm		
	thick laminate green, for Mica, Century on vertical as well as		
	horizontal surfaces with provision of 3" dia round cable		
	management for computer cables at appropriate place with		
	wood lipping $\frac{3}{4}$ " x $\frac{1}{4}$ " on inner side (officer side) and all		
	edged including bottom touching floor and half round wood		
	moulding $\frac{3}{4}$ " x $\frac{3}{4}$ " on remaining three sides. The top will be		
	having 2 ½"x 1 ½" wood moulding on all four sides. The		
	table top will be protruding out 3" from sides & 9" from		
	visitor's side. The outer 3" edges will be made of double		
	board. Table has one side rack of 36"x 15" x 30" having two		
	drawer & cabinet with shutter having good quality locks,		
	magnetic catcher, hings, handle/knob etc on the right or left		
	side of the table. All the three sides of the drawer will be		
	made of 12mm commercial ply wood and front side of		



5.

19mm commercial board with 1mm thick laminated. The		
bottom of the drawer shall be made of 6mm thick		
commercial plywood. The drawer will be provided with		
handle/knob of good quality to be got approved before		
fixing. The front apron will be of two levels with 6" frame		
from sides & 9" from top 3/4" up them the base finished with		
laminate and sides to be finished with 3/4" x 1/4" wood lipping		
laminate at the base (front side) will be pasted in grooves.		
The table shall have wooden grey coloured key board tray		
having size approx. 22"x15" or as directed, made of 19mm		
thick (ISI marked) phenol bonded commercial board with 1		
$\frac{1}{2}$ " x $\frac{3}{4}$ " wood moulding on front and back side and $\frac{3}{4}$ " x $\frac{1}{4}$ "		
lipping on remaining two sides and 1mm thick laminate on		
horizontal surface fixed on drawer channel of 15 length. A		
full deep CPU shelf 15" wide shall be provided at left or right		
hand side underneath the working top, at 5 1/2" above floor		
level and 3" away (horizontally) from vertical end (officer's		
side) with 19mm thick commercial board laminated with		
1mm thick laminate on top and ¾" x ¼" nuwood lipping on		
visible edges. A full length foot rest made of hard wood 3" x		
½" section shall be provided at 4" above floor level. Non		
laminated surface ie. Inside leg space of table/inside of		
drawer/cupboard/outside of drawer/footrest/moulding shall		
be enamel painted.		
Sofa/Seatee with back and without side support	Seat	8
Supplying two/three seater sofa/seatee with made up of		
solid local wood frame with MS Heavy duty springs and jute		
filling only covered with resin cloth 040 density polyurethane		
foam 4" thick for seat and 3" thick for back duly finished with		
tapestry cloth of approved shade, colour and design		
costing. The rate should be inclusive of all other material		
required for making standard design of Sofa/Seater.		



6.	Notice Board	no	1
	Providing and fixing notice board of size 2'x3' having 12mm		
	ply back fitted with 12mm soft board covered with cloth		
	(velvet) of approved shade and having wooden beading 1'-		
	2"x ¾" in all sides duly painted.		
7.	Door Closers	No.	3
	Providing and fixing hydraulic door closer ISI marked to		
	doors complete in all respects.		
8.	Aluminium Partitions	Sq. ft	165
	Providing and fixing new aluminium partition including door		
	with frame made of extruded section having thickness 16		
	SWG of size 3" x 1 $\frac{1}{2}$ ". All the members of aluminium		
	sections should be anodized and are to be fabricated as per		
	approved pattern for doors/partitions fixed in position (with		
	floor/wall/roof) with rawl plugs, wooden pegs, screws,		
	aluminium angles/cleats, butt hinges etc. There will be three		
	horizontal members for 4'6" high partitions ( at 0', 2'6", and		
	4'6" from floor level), three horizontal members for 7'0" high		
	partitions ( at 0', 2'6" and 7') four horizontal members for		
	8'6" high partitions (at 0', 2'6", 7' and 8'6"), four horizontal		
	members for partitions above 8'6" upto 12' ceiling level ( at		
	0', 2'6", 7' and ceiling level) as per site conditions. The		
	spacing of the vertical members shall not be more than 4'.		
	Both sides pre-laminated board 12mm thick shall be fixed in		
	partitions with square//tampered glazing clips upto 2'6"		
	height and beyond 8'6" height as per site conditions and		
	5mm thick clear plain float glass, duly etched in desired		
	pattern, shall be fixed in partitions with glazing clips,		
	beading and rubber gaskets, between 2'6" to 8'6" height.		
	The doors will be made aluminium section 85 x 38mm x 165		
	WG bottom section 115 x 44mm x 165 WG.		



9. <u>Voucher stand</u> made up of 19mm thick ISI board of siz	e Per No	1
36" x15" x12" fitted with 1mm thick mica on all side and	d	
having six Nos compartment for vouchers. All the expos	е	
portion duly panted of approved shade.		
10. Low height back storage cabinet (2'6"height)	RFT	16
Providing and fixing storage cabinets of size 2'6" high x 16	,,	
deep along the walls/partitions, as per interior drawings	5,	
using 19mm board for carcase, shutters. Vertical an	d	
horizontal partitions, 6mm ply for the back and 1mm thic	k	
laminate approved shade on vertical and horizontal visible	е	
surfaces. The shutters shall be overlapped on the carcas	е	
and shall be provided with EBCO hinges. The width of the	е	
shutter shall be between 15" to 18" as per the sit	е	
conditions. All the exposed edges of the board shall b	е	
provided with wooden lipping 19mm x 5mm, duly Pl	J	
polished/deco painted in desired shade. The inner surfac	е	
shall be painted in white. The cabinet shall be complete wit	h	
handles, knobs, locks and magnet catchers etc. to the	е	
satisfaction of the Architect/Engineer.		
11. Center table 2'x4' made up of 19mm thick ISI board fitte	d No.	1
with 1mm thick mica on all four side and top of the table	<b>).</b>	
Top also fitted with 12 mm glass duly grinded/ bevelling	g	
over 2" long steel spacer.		



	LIST OF APPROVED MAKES LIST OF MAKES OF DIFFERENT MATERIALS REQUIRED FOR DEVELOPMENT OF BUSINESS UNITS			
S. No.	Description	Approved Brands to be used		
INTE	RIOR AND FURNITURE ITEMS	•		
1	Plywood	Greenply (Ecotec), Century (Sainik), Archidply, Sonear		
2	Laminates	Merino, Greenlam, Century, Archid		
3	Gypsum Board	Lafarge, Saint Gobain (Gyproc)		
4	Wood primer	Asian paints, Nerolac, Dulux, Berger		
5	Patch Fittings	Ozone (8400), Dorma (BTS 65), Enox		
6	Dead Locks / Hardware	Godrej, Hettich, Ozone, Link		
7	FLOAT GLASS/Toughened	Asahi, Saint Gobain, Gold Plus		
	Glass			
8	Roller Blinds	Vista, MAC		
9	Aluminium Sections	Jindal		
10	Aluminium Composite panels	ALSTONE, EUROBOND		



FINANCIAL BID				
S. No	Description of Item	Unit	Tentative Rat Quantity quot	
1	Front Line Counters/ Cash Counter	RFT	16	
2	12mm Glass in front and side of Counters	Sq.ft.	45	
3	Wooden Partitions/Panelling	Sq.ft.	500	
4	Manager Table	Per No.	2	
5	Sofa/Seatee with back and without side support	Per Seat	8	
6	Notice Board	Per no	1	
7	Door Closers	Per No.	3	
8	Aluminium Partitions	Sq. ft	165	
9	Voucher stand	Per No	1	
10	Low height back storage cabinet (2'6"height)	RFT	16	
11	Centre Table	Per No.	1	
			Total of the items ab	ove
			ADD GST 18%	
			Grand Total	



### **Architecture Plan for BO Devak**

